


PAGEMAKER 6.5 POSTSCRIPT SETTINGS FOR HPV



STEP 1: Copy the Hannanprint PPD file to SYSTEM FOLDER - EXTENSIONS - PRINTER DESCRIPTIONS and restart.

STEP 2: Open Pagemaker and create a NEW printer style for Hannanprint Victoria.



STEP 3: Document set up.



Print Document

Printer: **PSA018F4B**

PPD: **Prinergy Refiner** Collate

Copies: **1** Reverse

Proof

Pages

All Print: **Both Pages**

Ranges: **1-4** Reader's spreads

Ignore "Non-Printing" setting Print blank pages

Book

Print all publications in book

Use paper settings of each publication

Orientation

Portrait Landscape

OK
Cancel
Document
Paper
Options
Colour
Features
Reset

STEP 4: Paper set up.

Print Paper

Paper

Size: **B4**

Source: **OnlyOne**

Printer's marks

Crops and bleeds only

Page information

Centre page in print area

Tiling

None 20

Scale

100 %

Reduce to fit


Thumbnails: **16** per page

Fit


Offset using printable area:
L:14.06 mm R:14.06 mm
T:24 mm B:24 mm

OK
Cancel
Document
Paper
Options
Colour
Features
Reset


STEP 5: Options set up.



STEP 6: Colour set up.




STEP 7: Features set up.



OK and save. The printer style is now ready to choose when printing but will need some alterations each time a page is printed.

READY TO PRINT

When printing set the page range to print. - ALWAYS print one page at a time. If a problem occurs at pre-press time it is easier to fix one page than the whole document.



Always write in the name of the postscript file or it will default to untitled.ps and check the 'save as' for the first file to confirm the postscript files are going where intended.

The screenshot shows a "Print Options" dialog box with three main sections. The "TIFFs/Images" section includes "Send image data" set to "Normal" and "Data encoding" set to "Send binary image data". The "PostScript" section includes "Download fonts" set to "PostScript and TrueType", a checked "Use symbol font for special characters", an unchecked "Include PostScript error handler", and a checked "Write PostScript to file" with the filename "01postscript.ps" and a "Save as..." button. Below this are radio buttons for "Normal" (selected), "EPS", and "For prepress", and checkboxes for "Page independence", "Extra image bleed", and "Launch post-processor". The "Printer communication" section has an unchecked "Query printer for font and memory information". On the right side, there are buttons for "Style...", "Cancel", "Document", "Paper", "Options", "Colour", "Features", and "Reset".

When the postscript file has been created you can the distill the file to a pdf (check the activity icon at the top left to be sure that the postscript has finished, before distilling).

If there is a font problem, often opening the font in your font handling software and re-distilling the postscript can fix the pdf. Note - Acrobat will need to be restarted after activating any new fonts.

POSTSCRIPT GUIDELINES FOR CTP



*NO TRAPS SHOULD BE APPLIED - IF NEEDED, SPECIFY TO HPV

*5MM BLEED SHOULD BE ALLOWED FOR ON THE PAGEMAKER PAGES

*FILES SHOULD HAVE LOGICAL NAMES USING PAGE NUMBERS.
NO SPACES OR SYMBOLS SHOULD BE USED. KEEP TO THE FORMAT
OF EG P01 MAGNAME MAY04.PS

*SUPPLY FILES AS SINGLE PAGES. IE ONE POSTSCRIPT AT A TIME

*DCS FILES (4 HIGH RESOLUTION COLOURS PLUS ONE LOW RES PIC)
NEED TO BE PUT TOGETHER IN PHOTOSHOP BEFORE POSTSCRIPTING
OR CREATE SEPARATED POSTSCRIPT.

*DOCUMENT SIZES MUST MATCH TRIM SIZE & POSTSCRIPTS MUST
BE SENT AT 100%

*IF NEW SOFTWARE IS RELEASED PLEASE CONSULT WITH HPV FOR
COMPATIBILITY

*PLEASE CONVERT ALL IMAGES FROM RGB TO CMYK BEFORE
POSTSCRIPTING AS PAGEMAKER'S CONVERSION MAY NOT BE THE
DESIRED RESULT

*TIFF FILES PLACED SHOULD BE IN A BOX SET TO A WHITE BACKGROUND
UNLESS CLIPPING PATHS ARE PRESENT TO STOP JAGGED EDGES

*ALL SPOT COLOURS SHOULD BE SET TO CMYK IN PAGEMAKER AND/OR
ILLUSTRATOR FOR CORRECT BREAKDOWN UNLESS IT IS INTENDED TO
BE PRINTED AS SPOT COLOUR

*KEEP PAPER WIDTHS CONSISTENT THROUGHOUT THE POSTSCRIPTS - IT
SHOULD BE 30MM WIDER THAN YOUR TRIM SIZE

*IF ANY SPOT COLOUR FILES ARE SENT PLEASE CLEARLY MARK THE
COLOUR IN THE NAME OF THE FILE - OUR WORKFLOW IS NORMALLY
CMYK AND WILL OVERRIDE SPOT COLOURS IF WE ARE UNAWARE OF THEM